Настройка интеграции с CMD

Создаем конфигурационный файл и вносим параметры доступа, полученные от службы поддержки лаборатории:

```
echo 'LpuCode = xxx

token = xxx

url = https://office.cmd-online.ru/api/v1/order/integration

ftp = 10.10.1.45 ftplogin = xxx ftppassword = kr4JrL5f '»
/var/www/mgerm25/conf/cmd.ini
```

Настройки базы данных

```
USE medis_interface; REPLACE INTO references (recordTypeID, name, dead,
chapter, med_refferal, need_redirection, edit_GUID, order, order2,
interf_ref, d_table, num_list, signs, show_treatment, show_content,
show_time, print_size_percentage, print_checker, status_buttons, buttonSetID,
buttonSetID_inp, extend_record_class, record_method_in, record_method_out,
TH_output_style, TD_output_style, Tbl_output_style, Tbl_input_style,
TH_input_style, TD_input_style, button_line_style, status_line_style,
button_line_style_inp, text_style, files_style, files_alias, files_script,
show_in_summary, show_in_hystory, show_in_refferals, identifier, print_form,
print_form_cap, common_view, use_autotemplate, multifier, specialist_visit,
form14_operation_identifier, show_creation_date_in_caption,
copy_content_from_previous_record_of_same_type, show_date,
print_full_text_position, allow_record_date_change, PHR_notification,
PHR_hide_record, summary_referecnce_order, print_template_php,
print_record_date_from_field_date, dont_show_name_in_print_all_records,
dont_show_name_in_print_record, dont_print_treatment,
show_contract_type_in_head, first_hystory_record, auto_lock,
advanced_protocols, info, ClinicalDocument/code, force_patient_name_printing,
minzdrav_code, show_count_in_report, show_time_in_info, Место оказания помощи,
Порядок случаев госпитализации или обращения, export_recordTypeGroup,
show_in_analise_dynamic, dont_print_recomendations,
ref_replace_dep_director_position, IdCaseType, IdVisitPurpose,
sisterEveryDayMandatoryRecord) VALUES (709, 'Заказ CMD', 0, 80, 0, 0, NULL,
NULL, NULL, 'default', 'default', 0, NULL, NULL, 1, 0, NULL, 1,
'procbiomaterialslock', 'procbiomaterials convertplan', 'saveonly zakazcmd',
'classextentionrecord', 'showbill', 'HidePayForHystoryZabor', 'THoutputstd',
'TDoutputstd', 'Tbloutputstd', 'Tbloutputstd', 'THoutputstd', 'TRoutputinp',
'recordbuttonsrow', 'statusstyle', 'recordbuttonsrow', 'stdinfostyle',
'stdfilesstyle', NULL, '/fileoperationsdownload.php', 0, 1, 1, NULL, NULL,
NULL, 0, 1, 1, 0, NULL, 1, 0, 1, 0, NULL, 0, 0, NULL, NULL, 0, 0, 0, 0, 0,
NULL, 0, 0, NULL, NULL, 0, NULL, 0, 1, NULL, NULL, NULL, 0, 0, NULL, 2, 1,
0); REPLACE INTO references (recordTypeID, name, dead, chapter, med_refferal,
```

need_redirection, edit_GUID, order, order2, interf_ref, d_table, num_list, signs, show_treatment, show_content, show_time, print_size_percentage, print_checker, status_buttons, buttonSetID, buttonSetID_inp, extend_record_class, record_method_in, record_method_out, TH_output_style, TD_output_style, Tbl_output_style, Tbl_input_style, TH_input_style, TD_input_style, button_line_style, status_line_style, button_line_style_inp, text_style, files_style, files_alias, files_script, show_in_summary, show_in_hystory, show_in_refferals, identifier, print_form, print_form_cap, common_view, use_autotemplate, multifier, specialist_visit, form14_operation_identifier, show_creation_date_in_caption, copy_content_from_previous_record_of_same_type, show_date, print_full_text_position, allow_record_date_change, PHR_notification, PHR_hide_record, summary_referecnce_order, print_template_php, print_record_date_from_field_date, dont_show_name_in_print_all_records, dont_show_name_in_print_record, dont_print_treatment, show_contract_type_in_head, first_hystory_record, auto_lock, advanced_protocols, info, ClinicalDocument/code, force_patient_name_printing, minzdrav_code, show_count_in_report, show_time_in_info, Место оказания помощи, Порядок случаев госпитализации или обращения, export_recordTypeGroup, show_in_analise_dynamic, dont_print_recomendations, ref_replace_dep_director_position, IdCaseType, IdVisitPurpose, sisterEveryDayMandatoryRecord) VALUES (201, 'Результаты анализа', 0, 80, 0, 0, NULL, NULL, NULL, 'default', 'default', 0, NULL, 0, 1, 0, NULL, 1, NULL, 'getcmdpdf', 'saveonly', 'classextentionrecord', 'showbodyfromphpscript', 'restorebodyshow', 'THoutputstd', 'TDoutputstd', 'Tbloutputstd', 'Tbloutputstd', 'THoutputstd', 'TRoutputinp', 'recordbuttonsrow', 'statusstyle', 'recordbuttonsrow', 'stdinfostyle', 'stdfilesstyle', NULL, '/fileoperationsdownload.php', 1, 1, 1, NULL, '-', NULL, 0, 1, 1, 0, NULL, 1, 0, 1, 0, NULL, 0, 0, NULL, '/services/Core/DatabaseRecord.getData?template=/laboratory/CMD/results.html', 0, 0, 0, 0, 0, 0, 0, 0, NULL, NULL, 0, NULL, 0, 1, NULL, NULL, NULL, 0, 0, NULL, 2, 1, 0); INSERT INTO button_set (author_only, GUID, digested, always, ID, order, html_id, style, Name, script, Action, title, image, dead, lifespan, callback) VALUES (0, NULL, 1, 0, 'getcmdpdf', 2, NULL, 'butimage', NULL, 'butpresssi', '/services/Laboratory/LaboratoryRequest.getResult?template=/laboratory/CMD/download.html&', 'Запросить PDF результат анализа', 'pdf.png', 0, NULL, NULL); UPDATE button_set SET dead = 1; WHERE ID = 'procbiomaterials'; INSERT INTO button_set (author_only, GUID, digested, always, ID, order, html_id, style, Name, script, Action, title, image, dead, lifespan, callback) VALUES (0, NULL, 0, 0, 'procbiomaterials', 0, NULL, 'std40', 'Изменить', 'butpresssi', '/kpo/calculator', 'Составить список услуг', NULL, 0, NULL, NULL); INSERT INTO button_set (author_only, GUID, digested, always, ID, order, html_id, style, Name, script, Action, title, image, dead, lifespan, callback) VALUES (0, NULL, 0, 0, 'procbiomaterials', 0, 'DEL', 'std40', 'Удалить', 'butpresssidel', 'edit', 'Удалить запись', NULL, 0, NULL, NULL); INSERT INTO button_set (author_only, GUID, digested, always, ID, order, html_id, style, Name, script, Action, title, image, dead, lifespan, callback) VALUES (0, 9, 0, 0, 'procbiomaterials', 2, NULL, 'std40', 'Отправить в CMD', 'butpresssi', '/_services/Laboratory/LaboratoryRequest.makeOrder?template=/laboratory/helix/saveDataResult.html&', 'Отправка заказа в CMD', NULL, 0, NULL, NULL); =====

Настройки планировщика задач ===== `crontab -e 0 */2 * * * curl «http://localhost/_services/Laboratory/CMD/CmdConnector.getAndStoreResult?no_connection=1» ` ===== Основные методы интерфейса ===== ==== Получение результата: ==== `/services/Laboratory/CMD/CmdConnector.getAndStoreResult?no_connection=1`

From:
http://mgdemo.ru:5555/ - **МИС Mgerm**

Permanent link:
http://mgdemo.ru:5555/doku.php?id=install:cmd&rev=1730543073

Last update: **02-11-2024 10:24**